THORSEN OF CALIF. U.S.A. TOOLS

SOCKETS and ATTACHMENTS

CATALOG NO. 10163SA





M Series

8-Point Socket



MS Series

1" SQUARE DRIVE

HOT BROACHED SOCKETS

6-POINT SOCKETS


Stock Number	Length	Size	Description	Std. Pkg.	Pkg. Wt.
6M	1"	3/16"	6-Point Socket	6	.21 lb.
7 M	1"	7/32"	6-Point Socket	6	.21 lb.
8M	1"	1/4"	6-Point Socket	6	.21 lb.
9M	1"	9/32"	6-Point Socket	6	.21 lb.
10M	1"	5/16"	6-Point Socket	6	.21 lb.
11M	1"	11/32"	6-Point Socket	6	.21 lb.
12M	1"	3/8"	6-Point Socket	6	.25 lb.
14M	1"	1/16"	6-Point Socket	6	.34 lb.
16M	1"	1/2"	6-Point Socket	6	.37 lb.
		8-1	POINT SOCKETS		
8MS	1"	1/4"	8-Point Socket	6	.25 lb.
10MS	1"	5/16"	8-Point Socket	6	.34 lb.
12MS	1"	3/8"	8-Point Socket	6	.37 lb.


GUARANTEE

All Thorsen Tools are unconditionally guaranteed against defective material and workmanship. Any defective tool will be promptly replaced or repaired when returned to your Thorsen Dealer or direct to the factory

ATTACHMENTS

Stock Number	Description	Length	Std. Pkg.	Pkg. Wt.	
90	Adaptor, 3/8" F, 1/4" M	1"	6	.25 lb.	
92	Adaptor, 1/4" F, 3/8" M	7/8"	6	.20 lb.	
18M	Flex Handle	51/2"	6	1.00 lb.	
33M	Universal Joint	11/4"	6	.28 lb.	
42M	Sliding-T	41/4"	6	.37 lb.	
50M	2" Extension	2"	6	.34 lb.	
53M	6" Extension	6"	6	.87 lb.	
62M	14" Speeder	14"	6	2.50 lb.	
77M	Ratchet, reversible	41/2"	6	1.25 lb.	
80M	Spinner Handle	6"	6	1.00 lb.	









11/4"







300 Series 12-Point

328

300X Series 6-Point

600J Series 12-Point

600JX Series 6-Point

12-PT.	SOCKE	TS—REG	. LEN	IGTH	6-PT. SOCKETS-REG. LENGTH					
Stock No.	Size	Length	Pkg.	Weight	Stock No.	Size	Length	Pkg.	Wei	ight
312	3/8"	15/16"	6	.25 lb.	312X	3/8"	15/16"	6	.25	lb.
314	7/16"	31/32"	6	.25 lb.	314X	7/16"	31/32"	6	.25	lb.
316	1/2"	1"	6	.37 lb.	316X	1/2"	1"	6	.37	lb.
318	%6"	1 1/32"	6	.50 lb.	318X	%16"	1 1/32"	6	.50	lb.
320	5/8"	11/6"	6	.62 lb.	320X	5/8"	11/16"	6	.62	lb.
322	11/16"	13/32"	6	.71 lb.	322X	11/16"	1 3/32"	6	.71	lb.
324	3/4"	1 5/32"	6	.81 lb.	324X	3/4"	1 3/32"	6	.81	lb.
326	13/4"	11/4"	6	1 00 16						

UNI	VERSAL 5	OCKET	5—1	Z-Pt.	UNIVERSAL SOCKETS-6-POINT					
412J	3/8"	1 %6"	6	.62 lb.	412JX	3/8"	1 %6"	6	.62	lb.
414J	7/6"	15/8"	6	.62 lb.	414JX	7/16"	1 5/8"	6	.62	lb.
416J	1/2"	1 5/8"	6	.62 lb.	416JX	1/2"	15/8"	6	.62	lb.
418J	%6"	13/4"	6	.75 lb.	418JX	%6"	13/4"	6	.75	lb.
420J	5/8"	13/4"	6	.87 lb.	420JX	5/8"	13/4"	6	.87	lb.
422J	11/16"	1 1/8"	6	.90 lb.	422JX	11/16"	1 7/8"	6	.90	lb.
424J	3/4"	1 1/8"	6	1.00 lb.	424JX	3/4"	1 1/8"	6	1.00	lb.

1.08 lb.

DEEL	SOCKE	TS-12	2-PO	THI	DEEP SOCKETS-6-POINT						
612J	3/8"	21/8"	6	.68	lb.	612JX	3/8"	21/8"	6	.68	lb.
614J	7/16"	21/8"	6	.75	lb.	614JX	7/16"	21/8"	6	.75	lb.
616J	1/2"	23/6"	6	.62	lb.	616JX	1/2"	23/6"	6	.62	lb.
618J	%16"	21/4"	6	1.06	lb.	618JX	%16"	21/4"	6	1.06	lЬ.
620J	5/8"	23/8"	6	1.15	lb.	620JX	5/8"	23/8"	6	1.15	lb.
622J	11/16"	23/8"	6	1.37	lb.	622JX	11/16"	23/8"	6	1.37	lb.
624J	3/4"	23/8"	6	1.50	lb.	624JX	3/4"	23/8"	6	1.50	lb.
626J	13/16"	23/8"	6	1.60	lb.	626JX	13/6"	23/8"	6	1.60	lb.

3/8" ATTACHMENTS

Stock No.	Description	Length	Pkg.	Weight
12J	·Flex Handle	71/2"	6	2.21 lb.
331	Universal Joint	13/4"	6	.71 lb.
50J	1½" Extension	11/2"	6	.62 lb.
51J	25/8" Extension	25/8"	6	1.06 lb.
53J	5" Extension	5"	6	1.30 lb.
57J	10" Extension	10"	6	2.31 lb.
62J	161/2" Speeder	161/2"	6	5.62 lb.
771	Ratchet, reversible	71/2"	6	3.50 lb.
98	Adaptor, 3/8" F, 1/2" M	1 3/32"	6	.50 lb.
	SPECIAL SOCKET			
626JR	Sparkplug Holding Socket	21/2"	6	2.00 lb.

42J

Weight

.68 lb.

1.62 lb. 1.59 lb. 1.46 lb. 1.56 lb. 1.81 lb. 2.18 lb.


2.31 lb.

2.43 lb.

1.50 lb.

2.00 lb.

2.37 lb.





500 Series 12-Point

532

534

536

538

540



500X Series 6-Point



600 Series 12-Point



Sparkplug **Holding Socket**

12-PT.	SOCKETS-	—REG.	LENGTH
--------	----------	-------	--------

1 %6"

111/16"

13/4"

1 25/32"

1 13/16"

1"

1/16'

1 1/8"

13/16"

11/4"

12-PT.	SOCK	ETS—R	EG. LE	NGTH	6-PT. SOCKETS—REG. LENGTH					
Stock No.	Size	Length	Pkg.	Weight	Stock No.	Size	Length	Pkg.	Wei	
512	3/8"	13/8"	6	.68 lb.	514X	7/6"	13/8"	6	.68	
514	7/6"	13/8"	6	.68 lb.						
516	1/2"	1 3/8"	6	.81 lb.						
518	%6"	13/8"	6	.84 lb.						
519	19/32"	13/8"	6	.75 lb.	12-	POINT	SOCKE	TS—D	EEP	
520	5/8"	1 3/8"	6	.68 lb.	614	1/16"	31/6"	6	1.62	
521	21/32"	1 3/8"	6	.87 lb.	616	1/2"	31/6"	6	1.59	
522	11/16"	1 3/8"	6	.81 lb.	618	%16"	31/6"	6	1.46	
524	3/4"	13/8"	6	1.00 lb.	620	5/8"	31/6"	6	1.56	
525	25/32"] 13/32"	6	1.06 lb.	622	11/16"	31/6"	6	1.81	
526	13/16"	1 13/32"	6	1.28 lb.	624	3/4"	31/6"	6	2.18	
528	7/8"	17/6"	6	1.62 lb.	626	13/6"	31/6"	6	2.31	
530	15/16"	11/2"	6	1.81 lb.	628	7/8"	31/16"	6	2.43	

2.12 lb.

2.75 lb.

2.75 lb.

3.18 lb.

4.12 lb.

630

632

636

15/16"

1"

11/8"

31/16"

31/10"

31/16"

3

3


3

1/2" ATTACHMENTS

Stock No.	Description	Length	Pkg.	Weight
15*	15" Flex Handle—Straight Shank	15"	6	8.25 lb.
16	18" Flex Handle	18"	6	12.37 lb.
33	Universal Joint	23/8"	6	1.43 lb.
42	Slide Tee	10"	6	5.81 lb.
51	2½" Extension	21/2"	6	1.43 lb.
53	5" Extension	5"	6	2.93 lb.
57	10" Extension	10"	6	4.68 lb.
62	18" Speeder	18"	2	3.40 lb.
77	10" Ratchet, reversible	10"	3	3.18 lb.
77NR	14" Ratchet, reversible	14"	3	4.88 lb.
94	1⁄2" F, 3∕8" M Adaptor	13/8"	6	.87 lb.
95A	1/2" F, 3/4" M Adaptor	1%6"	6	1.50 lb.
	SPECIAL SOCKETS	S		
574	Draglink Socket	1%6"	6	1.09 lb.
626R	Sparkplug Holding Socket	21/2"	6	2.00 lb.
F18*	V-8 Ford Con. Rod %6" 6-pt.	13/8"	6	.84 lb.

^{*}Not illustrated





79



12-POINT SOCKETS

Stock No.	Size	Length	Pkg.	Weight	Stock No.	Size	Length	Pkg.	Weight
1228	7/8"	2"	1	.37 lb.	1246	1 7/6"	21/2"	1	1.25 lb.
1230	15/16"	2"	1	.43 lb.	1248	11/2"	2%6"	1	1.37 lb.
1232	1"	21/16"	1	.50 lb.	1250	1 %6"	25/8"	1	1.55 lb.
1234	1 1/16"	21/8"	1	.53 lb.	1252	15/8"	221/32"	1	1.75 lb.
1236	11/6"	21/4"	-1	.53 lb.	1254-	1 11/16"	21/16"	=	1.81 lb.
1238	13/16"	21/4"	1	.68 lb.	1256	13/4"	23/4"	1	1.87 lb.
1240	11/4"	25/16"	1	.87 lb.	1258	1 13/16"	213/16"	1	2.12 lb.
1242	15/6"	23/8"	1	1.00 lb.	1260	1 1/8"	21/8"	1	2.25 lb.
1244	1 3/8"	21/16"	1	1.00 lb.	1264	2"	3"	1	2.62 lb.



33HD



98D

3/4" ATTACHMENTS

Stock No.	Description	Length	Pkg.	Weight
15X	33/4" Extension	3¾"	1	.75 lb.
16X	8" Extension	8"	1	1.25 lb.
18	Flex Handle	19"	1	4.25 lb.
19	Slide Tee	171/2"	1	3.00 lb.
20X	16" Extension	16"	1	2.25 lb.
33HD	Universal Joint	31/2"	1	1.00 lb.
79	Ratchet, reversible	171/2"	1	4.25 lb.
98D	3/4" F 1/2" M Adaptor	1 13/16"	6	2.06 lb